

United States Patent and Trademark Office

Г	APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
_	09/940,855	08/29/2001	Kazuyoshi Namba	33082M100	5071
	5MITH, GAMBRELL & RUSSELL, LLP			EXAMINER	
				SPISICH, MARK	
	Suite 800	N W		ART UNIT	PAPER NUMBER

Washington, DC 20036

DATE MAILED: 06/09/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

00/040 855 NAMBA, KAZUYOSHI Office Action Summary Evaminor Art Unit Mark Spisich 1744 - The MAILING DATE of this communication appears on the cover sheet with the correspond

Application No

Applicant(s)

Period for Reply

- A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH/S) FROM THE MAILING DATE OF THIS COMMUNICATION
- Extensions of time may be available under the provisions of 37 CFR 1.138(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication
- If the period for recty specified above is less than thirty (30) days, a reply within the statutory manurum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this control of the Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the moliting date of this communication, even if firmly filed, may reduce any earned patent term adjustment. See 37 CFR 1,704(b).

Status

- 1) Responsive to communication(s) filed on 03 March 2004.
 - 2a) This action is FINAL. 2b) This action is non-final.
 - 3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) Claim(s) 2-4.7 and 9-25 is/are pending in the application.
 - 4a) Of the above daim(s) 13-20 is/are withdrawn from consideration.
 - 5) Claim(s) 2 and 3 is/are allowed.
 - 6) Claim(s) 4.7.10 and 23-25 is/are rejected.
 - 7) Claim(s) 9,11,12,21 and 22 is/are objected to.
- 8) Claim(s) are subject to restriction and/or election requirement.

Application Papers

- 9) The specification is objected to by the Examiner.
- 10) The drawing(s) filed on _____ is/are: a) accepted or b) objected to by the Examiner. Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1 121(d). 11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f),
 - a) □ All b) □ Some * c) □ None of
 - Certified copies of the priority documents have been received.
 - 2. Certified copies of the priority documents have been received in Application No. _
 - 3. Copies of the certified copies of the priority documents have been received in this National Stage. application from the International Bureau (PCT Rule 17.2(a)).
 - * See the attached detailed Office action for a list of the certified copies not received.

Attachment(a)

- 1) Notice of References Cited (PTO-892) Paper No(s) Mail Date
- Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
- 4) Interview Summary (PTO-413) Paper No(s)/Mail Oate _ Notice of Informal Patent Application (PTO-152) Other

Application/Control Number: 09/940,855 Art Unit: 1744

DETAILED ACTION

Flection/Restrictions

 Claims 13-20 remain withdrawn from further consideration pursuant to 37 CFR
 1.142(b) as being drawn to a nonelected invention, there being no allowable generic or linking claim. Election was made without traverse in the reply filed on 3 March 2004, which confirmed a prior telephone election.

Claim Rejections - 35 USC § 102

- The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:
 - A person shall be entitled to a patent unless -

(e) the invention was described in (1) an application for patient, published under section 122(b), by another filled in the United States before the invention by the applicant for pater (2) a patient granted on an application for patient by arother filed in the United States before the invention by the granted on an application for patient by arother filed in the United States before the invention by the 351(s) patial haves the effects of purposes of the application for the transport of the 351(s) patial haves the effects for purposes.

3. Claims 4,7,10 and 23-25 are rejected under 35 U.S.C. 102(e) as being anticipated by Nishimura et al (USP 6,286,525). The patent to Nishimura discloses a substrate (W) cleaning apparatus comprising a substrate holder (3) as well as two (8a and 8b) scrub heads which in use are located together over the substrate (see fig 1 and column 6, lines 18-24) so as to move horizontally above the substrate and further wherein one of the scrub heads "follows" the other of the scrub heads (see figs 5A and 5B). The scrub heads may be of different types, i.e. the first brush (8a) may be a soft brush such as a mohair brush and the second brush (8b) may be a hard brush such as a PVA brush (see column 6, line 66 thru column 7, line (2). This disclosure clearly meets

the recitation in claim 7 (lines 10-11) of "wherein the first and second scrub heads are different at least in material or structure". The patent to Nishimura also discloses that the softer brush (8a) may be pressed against the substrate so as to apply a weaker force when compared to that of the other hard brush (8b) (column 6, lines 57-65). It would appear that a harder brush which is also pressed against the substrate a greater amount would be superior with regard to contamination removal and the softer brush which is pressed against the substrate a lesser degree would have a lower degree of adhesion (claims 4 and 10). Nishimura further discloses a motor (1) that rotates the substrate holder (3) as well as a head traveling mechanism (9) that moves the first and second scrub heads linearly and horizontally (claim 23) and that the distance between the heads held in a head holder (7b) remains constant (claim 24) as the heads are guided (claim 25) during movement thereof.

Allowable Subject Matter

- Claims 2 and 3 are allowed.
- Claims 9,11,12,21 and 22 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

Response to Arguments

6. Applicant's arguments with respect to have been considered but are moot in view of the new ground(s) of rejection. Applicant's arguments (in view of the amendments to each of the independent claims) have been deemed sufficient to overcome the prior rejections. It is noted that applicant's characterization of Nishimura et al (USP) Application/Control Number: 09/940,855 Art Unit: 1744

6,286,525), which is stated as corresponding to JP 10-308370A (pages 1-2 of the specification), is incorrect in that there is a positive recitation that the brushes need not be identical.

Conclusion

Applicant's amendment necessitated the new ground(s) of rejection presented in
this Office action. Accordingly, THIS ACTION IS MADE FINAL. See MPEP
§ 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37
CFR 1.136/a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filled within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Mark Spisich whose telephone number is (571) 272-1278. The examiner can normally be reached on M-Th (6-3:30), Alternate Fri off.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Robert J Warden can be reached on (571) 272-1281. The fax phone

Art Unit: 1744

number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.usplo.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (foll-free).

Mark Spisich
Primary Examiner
Art Unit 1744